

Daba



<https://lowtechlab.dokit.app/wiki/Daba/en>

Dernière modification le 10/02/2026

Difficulté Moyen

Durée 1 jour(s)

Coût 5 EUR
(€)

Description

A tool of African origin used by farmers, which can be used in Europe for gardening (weeding, ploughing, etc.).

Sommaire

Description
Sommaire
Introduction
Étape 1 - Assembling the bamboo with the blade
Étape 2 - Attach the blade to the bamboo handle
Étape 3 - Making the "large" handle
Étape 4 - Finishing touches
Commentaires

Introduction

The Daba offers a solution to help gardeners. Depending on its intended use, the handle can be long and straight, for high crops, or short with a bent end, for crouching work. The blade is flat and perpendicular to the handle. The daba is used indiscriminately for ploughing, aerating the soil or harvesting, or for making various cuts.

Easy to handle, the handle is adjustable to fit all sizes of user, to avoid health problems (back pain, bad posture, etc...).



Matériaux

Bamboo
Steel daba blade (for tools)
Small wooden part or trunnion
Natural varnish (based on natural linseed oil)

Outils

Sanding paper: Corundum on paper or cloth
Metal and wood saws
Hammer
Driller
Fabrics



Étape 1 - Assembling the bamboo with the blade

Published
Récupérée de "<https://lowtechlab.dokit.app/index.php?title=Daba/en&oldid=152883>"



Étape 2 - Attach the blade to the bamboo handle

Drill a hole across and perpendicular to the end of the bamboo handle. Then drill a second hole across and perpendicular to the daba blade. Next, insert a wooden dowel into the hole to secure the blade to the handle.



Étape 3 - Making the "large" handle

The "large size" handle is an additional handle added to the daba handle. This allows the size of the tool handle to be adjusted to suit the user's needs.

- Take a piece of bamboo with a smaller diameter and insert the end of the handle inside the handle attached to the daba.
- Next, drill a cross-hole in both sleeves and insert a dowel.



Étape 4 - Finishing touches

Sand the handles with sandpaper

Using a piece of cloth soaked in linseed oil, run the cloth over the pieces of bamboo that have already been sanded. This will protect the bamboo from damp and mould.

